



## MATERIAL SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**LIQUID O2 TRANSFILLS, INC.**  
**1335 NW 98TH COURT #8, 9**  
**MIAMI, FL 33172**

**EMERGENCY CONTACT:**  
**TOLL FREE 1-866-569-3455**  
**TEL:(305)477-1919**

**SUBSTANCE: NITROUS OXIDE**

**TRADE NAMES/SYNONYMS:**

MTG MSDS 70; DINITROGEN MONOXIDE; FACTITIOUS AIR; LAUGHING GAS; HYPONITROUS ACID ANHYDRIDE; NITROGEN (I) OXIDE; NITROGEN OXIDE; STCC 4904340; UN 1070; NITROGEN OXIDE (N2O); DINITROGEN OXIDE; NITROUS OXIDE, COMPRESSED; N2O; MAT16790; RTECS QX1350000

**CHEMICAL FAMILY:** inorganic, gas

**CREATION DATE:** Jan 24 1989

**REVISION DATE:** Mar 19 2003

### 2. COMPOSITION, INFORMATION ON INGREDIENTS

**COMPONENT:** NITROUS OXIDE

**CAS NUMBER:** 10024-97-2

**PERCENTAGE:** 100.0



### 3. HAZARDS IDENTIFICATION

**NFPA RATINGS (SCALE 0-4):** HEALTH=1 FIRE=0 REACTIVITY=0

**EMERGENCY OVERVIEW:**



**COLOR:** colorless

**PHYSICAL FORM:** gas

**ODOR:** sweet odor

**MAJOR HEALTH HAZARDS:** potentially fatal if inhaled, central nervous system depression, difficulty Breathing

**PHYSICAL HAZARDS:** Containers may rupture or explode if exposed to heat.

**POTENTIAL HEALTH EFFECTS:**

**INHALATION:**

**SHORT TERM EXPOSURE:** nausea, vomiting, symptoms of drunkenness, hyperactivity or drowsiness, hearing loss, suffocation, death

**LONG TERM EXPOSURE:** tingling sensation, impotence, reproductive effects

**SKIN CONTACT:**

**SHORT TERM EXPOSURE:** blisters, frostbite

**LONG TERM EXPOSURE:** no information is available

**EYE CONTACT:**

**SHORT TERM EXPOSURE:** frostbite, blurred vision

**LONG TERM EXPOSURE:** no information is available

**INGESTION:**

**SHORT TERM EXPOSURE:** frostbite

**LONG TERM EXPOSURE:** no information is available

#### **4. FIRST AID MEASURES**

**INHALATION:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

**SKIN CONTACT:** If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). **DO NOT USE HOT WATER.** If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

**EYE CONTACT:** Flush eyes with plenty of water.



**INGESTION:** If a large amount is swallowed, get medical attention.

**NOTE TO PHYSICIAN:** For inhalation, consider oxygen.

## 5. FIRE FIGHTING MEASURES

**FIRE AND EXPLOSION HAZARDS:** Negligible fire hazard. Containers may rupture or explode if exposed to heat. Gas/air mixtures are explosive.

**EXTINGUISHING MEDIA:** carbon dioxide, regular dry chemical  
Large fires: Use regular foam or flood with fine water spray.

**FIRE FIGHTING:** Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Use extinguishing agents appropriate for surrounding fire. Cool containers with water spray until well after the fire is out. Apply water from a protected location or from a safe distance. Do not get water directly on material. Reduce vapors with water spray. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Consider downwind evacuation if material is leaking.

## 6. ACCIDENTAL RELEASE MEASURES

**OCCUPATIONAL RELEASE:**

Stop leak if possible without personal risk. Avoid contact with combustible materials. Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering.

## 7. HANDLING AND STORAGE

**STORAGE:** Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.105. Keep separated from incompatible substances.

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

**EXPOSURE LIMITS:**

**NITROUS OXIDE:**



50 ppm ACGIH TWA

25 ppm (46 mg/m<sup>3</sup>) NIOSH recommended TWA (halogenated anesthetic gas)

**VENTILATION:** Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

**EYE PROTECTION:** For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**CLOTHING:** For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.

**GLOVES:** Wear insulated gloves.

**RESPIRATOR:** Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use. Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode. Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

**For Unknown Concentrations or Immediately Dangerous to Life or Health -**

Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.

Any self-contained breathing apparatus with a full facepiece.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** gas

**COLOR:** colorless

**ODOR:** sweet odor

**TASTE:** sweet taste

**MOLECULAR WEIGHT:** 44.01

**MOLECULAR FORMULA:** N<sub>2</sub>-O

**BOILING POINT:** -128 F (-89 C)

**FREEZING POINT:** -132 F (-91 C)

**VAPOR PRESSURE:** 760 mmHg @ -88 C

**VAPOR DENSITY (air=1):** 1.530



**SPECIFIC GRAVITY:** Not applicable

**DENSITY:** 1.8122 g/L @ 25 C

**WATER SOLUBILITY:** 59% @ 25 C

**PH:** Not applicable

**VOLATILITY:** Not applicable

**ODOR THRESHOLD:** Not available

**EVAPORATION RATE:** Not applicable

**VISCOSITY:** 0.0145 cP @ 25 C

**COEFFICIENT OF WATER/OIL DISTRIBUTION:** Not applicable

**SOLVENT SOLUBILITY:**

**Soluble:** sulfuric acid, alcohol, alkali solutions, ether, oils

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Stable at normal temperatures and pressure.

**CONDITIONS TO AVOID:** Avoid contact with combustible materials. Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

**INCOMPATIBILITIES:** combustible materials, metals, bases, reducing agents, peroxides, metal salts, metal oxides

**HAZARDOUS DECOMPOSITION:**

Thermal decomposition products: oxides of nitrogen

**POLYMERIZATION:** Will not polymerize.

## 11. TOXICOLOGICAL INFORMATION

**NITROUS OXIDE:**

**CARCINOGEN STATUS:** IARC: Human Inadequate Evidence, Animal Inadequate Evidence, Group 3 (Anesthetics, volatile); ACGIH: A4 -Not Classifiable as a Human Carcinogen

**TARGET ORGANS:** central nervous system

**MUTAGENIC DATA:** Available.

**REPRODUCTIVE EFFECTS DATA:** Available.



## 12. ECOLOGICAL INFORMATION

Not available

## 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations.



## 14. TRANSPORT INFORMATION

**U.S. DOT 49 CFR 172.101:**

**PROPER SHIPPING NAME:** Nitrous oxide

**ID NUMBER:** UN1070

**HAZARD CLASS OR DIVISION:** 2.2

**LABELING REQUIREMENTS:** 2.2; 5.1

**CANADIAN TRANSPORTATION OF DANGEROUS GOODS:**

**SHIPPING NAME:** Nitrous oxide

**UN NUMBER:** UN1070

**CLASS:** 2.2; 5.1

## 15. REGULATORY INFORMATION

**U.S. REGULATIONS:**

**CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):** Not regulated.

**SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):** Not regulated.

**SARA TITLE III SECTION 304 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.40):** Not regulated.



**SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):**

ACUTE: Yes

CHRONIC: No

FIRE: No

REACTIVE: No

SUDDEN RELEASE: Yes

**SARA TITLE III SECTION 313 (40 CFR 372.65):** Not regulated.

**OSHA PROCESS SAFETY (29CFR1910.119):** Not regulated.

**STATE REGULATIONS:**

**California Proposition 65:** Not regulated.

**CANADIAN REGULATIONS:**

**WHMIS CLASSIFICATION:** A, C.

**NATIONAL INVENTORY STATUS:**

**U.S. INVENTORY (TSCA):** Listed on inventory.

**TSCA 12(b) EXPORT NOTIFICATION:** Not listed.

**CANADA INVENTORY (DSL/NDSL):** Not determined.

**16. OTHER INFORMATION**

©Copyright 1984-2006 MDL Information Systems, Inc. All rights reserved.

**LIQUID O2 TRANSFILLS, INC. MAKES NO EXPRESS OR IMPLIED WARRANTIES, GUARANTEES OR REPRESENTATIONS REGARDING THE PRODUCT OR THE INFORMATION HEREIN, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR USE. LIQUID O2 TRANSFILLS, INC. SHALL NOT BE LIABLE FOR ANY PERSONAL INJURY, PROPERTY OR OTHER DAMAGES OF ANY NATURE, WHETHER COMPENSATORY, CONSEQUENTIAL, EXEMPLARY, OR OTHERWISE, RESULTING FROM ANY PUBLICATION, USE OR RELIANCE UPON THE INFORMATION HEREIN.**